Index of Authors

ALENICK, D. S. *See* FRIED, B.

ANDERSON, N., HANSKY, J. and TITCHEN, D. A. Effects of *Ostertagia circumcincta* infections on plasma gastrin in sheep, 401

ARNOLD, SUSAN. *See* CROMPTON, D. W. T.

ASAOLU, S. O. Morphology of the reproductive system of male *Moniliformis dubius* (Acanthocephala), 297

BALL, S. J., PITTILO, R. M. JOYNER, L. P. and NORTON, C. C. Scanning and transmission electron microscopy of *Eimeria maxima* microgametogenesis, 131

BARRETT, J. and LLOYD, G. M. A novel phosphagen phosphotransferase in the plerocercoids of *Schistocephalus solidus* (Cestoda: Pseudophyllidea), 11

BENNETT, J. L. *See* FETTERER, R. H.

BOARER, C. D. H. *See* IRVIN, A. D.

BRUCE, R. G. *See* KENNEDY, M. W.

BUNDY, D. A. P. Swimming behaviour of the cercaria of *Transversotrema patialense*, 319

BUTTERWORTH, A. *See* DESSEIN, A.

CAPRON, A. *See* OUAISSI, M. A.

CARRINGTON, TRUDI S. *See* JENKINS, D. C.

CHOPRA, A. K. *See* VINAYAK, V. K.

COADWELL, W. J., MARTIN, JEAN and WARD, P. F. V. A new technique for the extraction of *Nematodirus battus* eggs from sheep faeces, 263

COADWELL, W. J. and WARD, P. F. V. The development, composition and maintenance of experimental populations of *Haemonchus contortus* in sheep, 257

COADWELL, W. J. *See* WARD, P. F. V.

CONWAY MORRIS, S. Parasites and the fossil record, 489

COOMBS, G. H. *See* HART, D. T.

COUTINHO, F. A. B., GRIFFIN, M. and THOMAS, J. D. A model of schistosomiasis incorporating the searching capacity of the miracidium, 111

CROMPTON, D. W. T., WALTERS, D. E. and ARNOLD, SUSAN. Changes in the food intake and body weight of protein-malnourished rats infected with *Nippostrongylus brasiliensis* (Nematoda), 23

CUNNINGHAM, I. *See* GRAY, M. A.

DAVID, J. R. *See* DESSEIN, A.

DESSEIN, A., SAMUELSON, J. C., BUTTERWORTH, A. E., HOGAN, MAUREEN, SHERRY, BARBARA A., VADAS, M. A. and DAVID, J. R. Immune evasion by *Schistosoma mansoni*: loss of susceptibility to antibody or complement-dependent eosinophil attack by schistosomula cultured in medium free of macromolecules, 357

DOBBELAERE, D. *See* IRVIN, A. D.

DOBBELAERE, D. A. E. *See* YOUNG, A. S.

DONALD, A. D. *See* SMEAL, M. G.

DONCASTER, C. C. Observations on relationships between infective juveniles of bovine lungworm, *Dictyocaulus viviparus* (Nematoda: Strongylida) and the fungi, *Pilobolus kleinii* and *P. crystallinus* (Zygomycotina: Zygomycetes), 421

DUBEY, J. P. *See* GLICKMAN, L. T.

DUFFUS, W. P. H. and FRANKS, D. The interaction *in vitro* between bovine immunoglobulin and juvenile *Fasciola hepatica*, 1

ERASMUS, D. A. *See* SHAW, J. R.

FAIRWEATHER, I. and THREADGOLD, L. T. *Hymenolepis nana*: the fine structure of the embryonic envelopes, 429

FAIRWEATHER, I. and THREADGOLD, L. T. *Hymenolepis nana*: the fine structure of the 'penetration gland' and nerve cells within the oncosphere, 445

FETTERER, R. H., PAX, R. A. and BENNETT, J. L. Na^+–K^+ transport, motility and tegumental membrane potential in adult male *Schistosoma mansoni*, 97

FRANKS, D. *See* DUFFUS, W. P. H.

FRIED, B. and ALENICK, D. S. Localization, length and reproduction in single- and multiple-worm infections of *Echinostoma revolutum* (Trematoda) in the chick, 49

FRIED, B. and ROBINSON, G. A. Pairing and aggregation of *Amblosoma suwaense* (Trematoda: Brachylaimidae) metacercariae *in vitro* and partial characterization of lipids involved in chemo-attraction, 225

GARDINER, P. R. *See* GRAY, M. A.

GECZY, A. F. and ROTHWELL, T. L. W. Genes within the major histocompatibility complex of the guinea pig influence susceptibility to *Trichostrongylus colubriformis* infection, 281

GLICKMAN, L. T., DUBEY, J. P. and WINSLOW, L. J. Serological response of ascarid-free dogs to *Toxocara canis* infection, 383

GRAY, M. A., CUNNINGHAM, I., GARDINER, P. R., TAYLOR, A. M. and LUCKINS, A. G. Cultivation of infective forms of *Trypanosoma congolense* from Trypanosomes in the proboscis of *Glossina morsitans*, 81

GREGORY, M. W. Mites of the hedgehog *Erinaceus albiventris* Wagner in Kenya: observations on the prevalence and pathogenicity of *Notoedres oudemansi* Fain, *Caparinia erinacei* Fain and *Rodentopus sciuri* Fain, 149

GRIFFIN, M. *See* COUTINHO, F. A. B.

GUNDERS, A. E. *See* SCHLEIN, Y.

GUPTA, N. K. *See* VINAYAK, V. K.

HANSKY, J. *See* ANDERSON, N.

HAQUE, A. *See* OUAISSI, M. A.

HART, D. T., VICKERMAN, K. and COOMBS, G. H. A quick, simple method for purifying *Leishmania mexicana* amastigotes in large numbers, 345

HELLE, EERO and VALTONEN, E. TELLERVO. Comparison between spring and autumn infection by *Corynosoma* (Acanthocephala) in the ringed seal *Pusa hispida* in the Bothman Bay of the Baltic Sea, 287

HESS, F. *See* MEIS, J. F. G. M.

HOGAN, MAUREEN. *See* DESSEIN, A.

HO, JU-SHEY, KATSUMI, FUMIMASA and HONMA, YOSHIHARU. *Coelotrophus nudus* gen. et sp. nov., an endoparasitic copepod causing sterility in a sipunculan *Phascolosoma scolops* (Selenka and De Man) from Sada Island, Japan, 481

HONMA, YOSHIHARU. *See* HO, JU-SHEY

HUSKISSON, N. S. *See* WARD, P. F. V.

IRVIN, A. D., BOARER, C. D. H., DOBBELAERE, D. A. E., MAHAN, S. M., MASAKE, R. and OCAMA, J. G. R. Monitoring *Theileria parva* infection in adult *Rhipicephalus appendiculatus* ticks, 137

IRVIN, A. D. *See* YOUNG, A. S.

JAP, P. H. K. *See* MEIS, J. F. G. M.

JENKINS, D. C. and CARRINGTON, TRUDI S. *Nematospiroides dubius:* the course of primary, secondary and tertiary infections in high and low responder Biozzi mice, 311

JOYNER, L. P. *See* BALL, S. J.

KATSUMI, FUMIMASA. *See* HO, JU-SHEY.

KENNEDY, C. R. The establishment and population biology of the eye-fluke *Tylodelphys podicipina* (Digenea: Diplostomatidae) in perch, 245

KENNEDY, M. W. and BRUCE, R. G. Reversibility of the effects of the host immune response on the intestinal phase of *Trichinella spiralis* in the mouse, following transplantation to a new host, 39

KUMAR, ASHA. *See* VINAYAK, V. K.

LEITCH, B. L. *See* YOUNG, A. S.
LIDDELL, K. G., LUCAS, S. B. and WILLIAMS, H. *Babesia divergens* infections in the Mongolian gerbil: characteristics of a human strain, 205
LLOYD, G. M. *See* BARRETT, J.
LUBBOCK, ROGER. The clownfish/anemone symbiosis: a problem of cellular recognition, 159
LUCAS, S. B. *See* LIDDELL, K. G.
LUCKINS, A. G. *See* GRAY, M. A.

MAHAN, S. M. *See* IRVIN, A. D.
MARTIN, JEAN. *See* COADWELL, W. J.
MASAKE, R. *See* IRVIN, A. D.
MEIS, J. F. G. M., VERHAVE, J. P., JAP, P. H. K., HESS, F. and MEUWISSEN, J. H. E. T. An ultrastructural study of developing stages of exo-erythrocytic *Plasmodium berghei* in rat hepatocytes, 195
MEUWISSEN, J. H. E. T. *See* MEIS, J. F. G. M.
MILLER, E. N. and TURNER, M. J. Analysis of antigenic types appearing in first relapse populations of clones of *Trypanosoma brucei*, 63
MILLER, GROVER, C. Helminths and the transmammary route of infection, 335

NORTON, C. C. *See* BALL, S. J.

OCAMA, J. G. R. *See* IRVIN, A. D.
OTUBANJO, O. A. *Schistosoma mansoni*: the sustentacular cells of the testes, 125
OUAISSI, M. A., HAQUE, A. and CAPRON, A. *Dipetalonema viteae*: ultrastructural study on the *in vitro* interaction between rat macrophages and microfilariae in the presence of IgE antibody, 55

PAX, R. A. *See* FETTERER, R. H.
PITTILO, R. M. *See* BALL, S. J.

ROBINSON, G. A. *See* FRIED, B.
ROTHWELL, T. L. W. *See* GECZY, A. F.

SAMUELSON, J. C. *See* DESSEIN, A.
SCHLEIN, Y. and GUNDERS, A. E. Pheromone of *Ornithodoros* spp. (Argasidae) in the coxal fluid of female ticks, 467
SHARMA, G. L. *See* VINAYAK, V. K.
SHAW, J. R. and ERASMUS, D. A. *Schistosoma mansoni*: an examination of the reproductive status of females from single sex infections, 121
SHAW, M. K. The ultrastructure of the pseudohaptoral squamodiscs of *Diplectanum aequans* (Monogenea), 231
SHERRY, BARBARA A. *See* DESSEIN, A.
SMEAL, M. G. and DONALD, A. D. Effects on inhibition of development of the transfer of *Ostertagia ostertagi* between geographical regions of Australia, 389

TAYLOR, A. M. *See* GRAY, M. A.
THOMAS, J. D. *See* COUTINHO, F. A. B.
THREADGOLD, L. T. *See* FAIRWEATHER, I.
TITCHEN, D. A. *See* ANDERSON, N.
TURNER, M. J. *See* MILLER, E. N.

URQUHART, CATRIONA. Morphological and adhesive changes to cultured chick kidney cells following parasitization with *Eimeria tenella* (Protozoa: Coccidia), 175
URQUHART, CATRIONA. Thymidine uptake by chicken kidney cells parasitized by *Eimeria tenella*: evidence for a diffusable mediating substance, 189

VADAS, M. A. *See* DESSEIN, A.
VALTONEN, E. TELLERVO. *See* HELLE, EERO.

VANOVERSCHELDE, R. Studies on the life-cycle of *Himasthla militaris* (Trematoda: Echinostomatidae): influence of salinity and temperature on egg development and miracidial emergence, 459

VENKATANARSAIAH, J. Detection of cholinesterase in the nervous system of the oncomiracidium of a monogenean, *Pricea multae* Chauhan, 1945, 241

VERHAVE, J. P. *See* MEIS, J. F. G. M.

VICKERMAN, K. *See* HART, D. T.

VINAYAK, V. K., GUPTA, N. K., CHOPRA, A. K., SHARMA, G. L. and KUMAR, ASHA. Efficacies of vaccines against canine hookworm disease, 375

WALTERS, D. E. *See* CROMPTON, D. W. T.

WARD, P. F. V., COADWELL, W. J. and HUSKISSON, N. S. The glucose metabolism of adult *Ostertagia circumcincta*, *in vitro*, 17

WARD, P. F. V. *See* COADWELL, W. J.

WHARTON, D. A. The effect of temperature on the behaviour of the infective larvae of *Trichostrongylus colubriformis*, 269

WILLIAMS, H. *See* LIDDELL, K. G.

WINSLOW, L. J. *See* GLICKMAN, L. T.

WOMERSLEY, C. The effect of dehydration and rehydration on salt loss in the second-stage larvae of *Anguina tritici*, 411

YOUNG, A. S., LEITCH, B. L., IRVIN, A. D. and DOBBELAERE, D. A. E. The effect of irradiation on the susceptibility of *Rhipicephalus appendiculatus* ticks to *Theileria parva* infection, 473

Index of Subjects

Active Na^+–K^+ transport, a study of, in adult *Schistosoma mansoni*, 97
Adhesion, effects of *Eimeria tenella* on, in cultured chick kidney cells, 175
Amblosoma suwaense, chemo-attraction of the metacercariae of, 225
  pairing and aggregation of the metacercariae of, *in vitro*, 225
Ancylostoma caninum, efficacies of vaccines against, 375
Anemone, mechanisms explaining the symbiotic relationship of with clownfishes, 159
Anguina tritici, effects of desiccation on salt loss in, 411
Antigenic variation, a study of in first relapse populations of clones of *Trypanosoma brucei*, 63

Babesia divergens, characteristics of a human strain infecting gerbils, 205
  host adaptation of a human strain in gerbils, 205
Behaviour, the effect of temperature on in *Trichostrongylus colubriformis*, 269
Biozzi mice, the course of primary, secondary and tertiary infections of *Nematospiroides dubius* in, 311

Caparinia erinacei, prevalence and pathogenicity of in the hedgehog, 149
Cercariae, free-swimming behaviour of, 319
Chemo-attraction, in the metacercariae of *Amblosoma suwaense*, 225
Chicken kidney cells, factors influencing thymidine uptake in, 189
Cholinesterase, detection of in the nervous system of *Pricea multae*, 241
Clownfishes, mechanisms proposed to explain the symbiotic relationship of with sea anemones, 159
Coelotrophus nudus, gen. et sp.nov., 481
Copepod, description of *Coelotrophus nudus* gen. et sp.nov., 481
Corynosoma spp., seasonal comparison of infection by, 287
Coxal fluid, secretion of sex pheromone in, in adult female *Ornithosoros* spp., 467
Cultivation, of infective forms of *Trypanosoma congolense* from the proboscis of *Glossina morsitans*, 81

Dessication, effect of on salt loss in *Anguina tritici*, 411
Development, an ultrastructural study of in exo-erythrocytic forms of *Plasmodium berghei*, 195
  geographical factors influencing in *Ostertagia ostertagi*, 389
  inhibition of in *Ostertagia ostertagi*, 389
  of experimental populations of *Haemonchus contortus* in sheep, 257
Dictyocaulus viviparus, relationship of with the fungi, *Pilobolus kleinii* and *P. crystallinus*, 421
Dipetalonema viteae, *in vitro* interaction of with macrophages, 55
Diplectanum aequans, ultrastructure of the pseudohaptoral squamodiscs of, 231

East Coast Fever, a rapid method for monitoring *Theileria parva* infections in ticks, 137
Echinostoma revolutum, a study of egg viability in single and multiple infections of in the chick, 49
  differences in location and length in single and multiple infections of, 49
Egg development, effects of salinity and temperature on, in *Himasthla militaris*, 459
Egg viability, a study of in single versus multiple infections of *Echinostoma revolutum*, 49
Eimeria maxima, scanning and transmission electron microscopical studies of microgametogenesis in, 131
Eimeria tenella, effect on thymidine uptake by chicken kidney cells parasitized by, 189
  effects of on morphology and adhesion in cultured chick kidney cells, 175
Elisa, a sensitive and specific method for detection of *Toxocara* infection in dogs, 383
Embryonic envelopes, an ultrastructural study of in *Hymenolepis nana*, 429
Erinaceus albiventris, the prevalence and pathogenicity of various mites in, 149

Fasciola hepatica, interaction of with bovine immunoglobulin, *in vitro*, 1

Fossil records, use of in the study of parasite evolution, 489

Gastrin, effects of *Ostertagia circumcincta* on in sheep, 401
Glossina morsitans, cultivation of infective forms of *Trypanosoma congolense* from the proboscis of, 81
Glucose metabolism, study of in *Ostertagia circumcincta*, 17
Glycocalyx, interaction of with bovine immunoglobulin against *Fasciola hepatica*, 1

Haemonchus contortus, the development, composition and maintenance of experimental populations of in sheep, 257
Helminths, the transmammary route of infection by, 335
Himasthla militaris, studies on the life-cycle of, 459
Histocompatibility complex, influence of on susceptibility of guinea pigs to *Trichostrongylus colubriformis*, 281
Hookworm disease, efficacies of vaccines against, 375
Hydrodynamics, a study of in cercarial swimming using high-speed micro-cinematography, 319
Hymenolepis nana, ultrastructure of the embryonic envelopes of, 429
ultrastructure of the 'penetration gland' and nerve cells within the oncosphere of, 445

Immune evasion, mechanisms responsible for in *Schistosoma mansoni*, 357
Immune expulsion, reversibility of effects of on *Trichinella spiralis*, 39
Immune response, reversibility of effects of on *Trichinella spiralis*, 39
Immunoglobulin, interaction of with *Fasciola hepatica*, *in vitro*, 1

Leishmania mexicana, a rapid method for the purification of the amastigotes of, 345
Life-cycle, of *Himasthla militaris*, 459

Macro-evolution, fossil parasites provide information for, 489
Macrophages, *in vitro* interaction of with *Dipetalonema viteae* microfilariae, 55
Male reproductive system, morphology of in *Moniliformis dubius*, 297
Malnourishment, effect of on food intake and body weight of rats during infection with *Nippostrongylus brasiliensis*, 23
Maternal transmission, description of for helminths, 335
Metabolism, a study of in *Ostertagia circumcincta*, 17
Microgametogenesis, scanning and transmission electron microscopical studies of in *Eimeria maxima*, 131
Miracidia, a model of schistosomiasis incorporating the searching capacity of, 111
Miracidial emergence, effects of salinity and temperature on, in *Himasthla militaris*, 459
Moniliformis dubius, morphology of the male reproductive system of, 297
Morphology, a study of the changes in during microgametogenesis in *Eimeria maxima*, 131
effects of *Eimeria tenella* on, in cultured chick kidney cells, 175
of the male reproductive system of *Moniliformis dubius*, 297

Nematodirus baitus, a new technique for the separation of the eggs of from sheep faeces, 263
Nematospiroides dubius, role of host antibodies in immunity to, 311
the course of infection of in high and low responder Biozzi mice, 311
Nervous system, detection of cholinesterase in, in *Pricea multae*, 241
Neurons, ultrastructure of in the oncosphere of *Hymenolepis nana*, 445
New method, for the purification of *Leishmania mexicana* amastigotes, 345
New technique, for the extraction of *Nematodirus battus* eggs from sheep faeces, 263
Nippostrongylus brasiliensis, effect of on food intake and body weight in protein malnourished rats, 23
Notoedres oudemansi, prevalence and pathogenicity of in the hedgehog, 149

Oncosphere, an ultrastructural study of in *Hymenolepis nana*, 429, 445
Ornithodoros spp., secretion of sex pheromone from the coxal fluid of adult females of, 467
Ostertagia circumcincta, a study of glucose metabolism in, 17
effects of on plasma gastrin in sheep, 401
Ostertagia ostertagi, inhibition of the development of, 389

Parasite evolution, evidence of from fossil records, 489
Parasitic sterility, caused by *Coelotrophus nudus* gen. et sp. nov. in *Phascolosoma scolops*, 481
Parthenogenesis, evidence for in females from single sex infections of *Schistosoma mansoni*, 121
'Penetration gland', ultrastructure of in the oncosphere of *Hymenolepis nana*, 445
Phascolosoma scolops, sterility in, caused by *Coelotrophus nudus* gen. et sp.nov., 481
Pheromone, secretion of in the coxal fluid of female *Ornithodoros* spp., 467
Phosphagen phosphotransferase, detection of in the plerocercoids of *Schistocephalus solidus*, 11
Pilobolus crystallinus, relationship of with the bovine lungworm, *Dictyocaulus viviparus*, 421
Pilobolus kleinii, relationship of with the bovine lungworm, *Dictyocaulus viviparus*, 421
Plasma gastrin, effects of *Ostertagia circumcincta* on in sheep, 401
Plasmodium berghei, an ultrastructural study of immature exo-erythrocytic forms of, 195
Plerocercoids, detection of phosphagen phosphototransferase in, 11
Population biology, of the eye-fluke *Tylodelphys podicipina* in perch, 245
Population development, of *Haemonchus contortus* in sheep, 257
Pricea multae, detection of cholinesterase in the nervous system of, 241
Protein malnourished rats, measurement of food intake and body weight in, during *Nippostrongylus brasiliensis* infection, 23
Purification, a rapid method of, described for the amastigotes of *Leishmania mexicana*, 345
Pusa hispida, seasonal variation of infection by *Corynosoma* spp. in, 287

Reproductive system, variation in the development of in females from single sex infections of *Schistosoma mansoni*, 121
Rhipicephalus appendiculatus, effect of irradiation on the susceptibility of to *Theileria parva*, 473
histochemical method for monitoring *Theileria parva* infection in salivary glands of, 137
Ringed seals, feeding habits of during infection with *Corynosoma* spp., 287
Rodentopus sciuri, prevalence and pathogenicity of in the hedgehog, 149

Salt loss, effects of desiccation on in *Anguina tritici* larvae, 411
Schistocephalus solidus, detection of phosphagen phosphotransferase in, 11
Schistosoma mansoni, active Na^+–K^+ transport in, 97
an ultrastructural study of the sustentacular cells of the testes of, 125
insusceptibility of to immune attack, 357
mechanisms of immune evasion by, 357
the reproductive status of females from single sex infections of, 121
Schistosomiasis, a model for the transmission of, 111
Squamodiscs, ultrastructure of in *Diplectanum aequans*, 231
Sustentacular cells, an ultrastructural study of in *Schistosoma mansoni*, 125
Symbiosis, a study of between the clownfish and sea anemone, 159

Tegumental membrane potential, the role of active Na^+–K^+ transport in the maintenance of, 97
Temperature, effect of on the behaviour of *Trichostrongylus colubriformis*, 269
Theileria parva, monitoring infections of in adult *Rhipicephalus appendiculatus* ticks, 137
susceptibility of irradiated *Rhipicephalus appendiculatus* to, 473
Thymidine uptake, involvement of a diffusable mediating substance in, in *Eimeria tenella*-infected chicken kidney cells, 189
Toxocara canis, serological response of ascarid-free dogs to, 383
Transmammary infection, description of for helminths, 335
Transmission, a model describing in schistosomiasis, 111
Transversotrema patialense, the swimming behaviour of the cercariae of, 319
Trichinella spiralis, reversibility of the effects of the host immune response on, 39
Trichostrongylus colubriformis, genetic control of infection by, 281
susceptibility of guinea pigs to, 281
the effect of temperature on the behaviour of the infective larvae of, 269
Trypanosoma brucei, analysis of antigenic types of in first relapse populations of different clones of, 63
Trypanosoma congolense, cultivation of infective forms of, 81

Tylodelphys podicipina, population biology of in perch, 245

Ultrastructural study, of the sustentacular cells of the testes of *Schistosoma mansoni*, 125
on the *in vitro* interaction between macrophages and *Dipetalonema viteae* microfilariae, 55
Ultrastructure, of immature exo-erythrocytic forms of *Plasmodium berghei*, 195
of the embryonic envelopes of *Hymenolepis nana*, 429
of the male reproductive system of *Moniliformis dubius*, 297
of the pseudohaptoral squamodiscs of *Diplectanum aequans*, 231

Vaccines, efficacies of, against canine hookworm disease, 375
Variant antigenic types, analysis of in first relapse populations of different clones of *Trypanosoma brucei*, 63

X-irradiation, effect of on susceptibility of *Rhipicephalus appendiculatus* to *Theileria parva*, 473

PARASITOLOGY

(Founded by G. H. F. Nuttall, F.R.S.)

EDITORS

D. W. T. CROMPTON *and* B. A. NEWTON

EDITORIAL ASSISTANT

M. ELISABETH PAINTER, Ph.D.

ADVISORY BOARD

L. G. GOODWIN, F.R.S. *(Chairman)*

R. ANDERSON
D. R. ARTHUR
J. R. BAKER
J. BARRETT
ELIZABETH U. CANNING
L. H. CHAPPELL
S. COHEN, F.R.S.
R. R. A. COOMBS, F.R.S.
F. E. G. COX
G. A. M. CROSS
D. A. ERASMUS
D. I. GIBSON
L. P. JOYNER
C. R. KENNEDY
ANN M. LACKIE
D. L. LEE*
R. J. LINCOLN
J. LLEWELLYN
S. H. P. MADDRELL
BRIDGET M. OGILVIE
M. ELAINE ROSE
J. H. ROSE
J. F. RYLEY
G. SALT, F.R.S.
S. R. SMITHERS
K. VICKERMAN
D. WAKELIN
P. F. V. WARD
P. J. WHITFIELD
H. H. WILLIAMS
R. A. WILSON
C. A. WRIGHT

* Representing the British Society for Parasitology

VOLUME 82, 1981

CAMBRIDGE UNIVERSITY PRESS

CAMBRIDGE

LONDON NEW YORK NEW ROCHELLE

MELBOURNE SYDNEY

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, N.Y. 10022

© Cambridge University Press, 1981

Printed in Great Britain at the
University Press, Cambridge

CONTENTS

(*All rights reserved*)

PART 1 FEBRUARY 1981

PAGE

DUFFUS, W. P. H. and FRANKS, D. The interaction *in vitro* between bovine immunoglobulin and juvenile *Fasciola hepatica* 1

BARRETT, J. and LLOYD, G. M. A novel phosphagen phosphotransferase in the plerocercoids of *Schistocephalus solidus* (Cestoda: Pseudophyllidea) . 11

WARD, P. F. V., COADWELL, W. J. and HUSKISSON, N. S. The glucose metabolism of adult *Ostertagia circumcincta, in vitro* 17

CROMPTON, D. W. T., WALTERS, D. E. and ARNOLD, SUSAN. Changes in the food intake and body weight of protein-malnourished rats infected with *Nippostrongylus brasiliensis* (Nematoda). 23

KENNEDY, M. W. and BRUCE, R. G. Reversibility of the effects of the host immune response on the intestinal phase of *Trichinella spiralis* in the mouse, following transplantation to a new host 39

FRIED, B. and ALENICK, D. S. Localization, length and reproduction in single- and multiple-worm infections of *Echinostoma revolutum* (Trematoda) in the chick 49

OUAISSI, M. A., HAQUE, A. and CAPRON, A. *Dipetalonema viteae*: ultrastructural study on the *in vitro* interaction between rat macrophages and microfilariae in the presence of IgE antibody. 55

MILLER, E. N. and TURNER, M. J. Analysis of antigenic types appearing in first relapse populations of clones of *Trypanosoma brucei* 63

GRAY, M. A., CUNNINGHAM, I., GARDINER, P. R., TAYLOR, A. M. and LUCKINS, A. G. Cultivation of infective forms of *Trypanosoma congolense* from trypanosomes in the proboscis of *Glossina morsitans* 81

FETTERER, R. H., PAX, R. A. and BENNETT, J. L. Na^+–K^+ transport, motility and tegumental membrane potential in adult male *Schistosoma mansoni* 97

COUTINHO, F. A. B., GRIFFIN, M. and THOMAS, J. D. A model of schistosomiasis incorporating the searching capacity of the miracidium . . 111

SHAW, J. R. and ERASMUS, D. A. *Schistosoma mansoni*: an examination of the reproductive status of females from single sex infections . . . 121

OTUBANJO, O. A. *Schistosoma mansoni*: the sustentacular cells of the testes 125

BALL, S. J., PITTILO, R. M., JOYNER, L. P. and NORTON, C. C. Scanning and transmission electron microscopy of *Eimeria maxima* microgametogenesis 131

IRVIN, A. D., BOARER, C. D. H., DOBBELAERE, D. A. E., MAHAN, S. M., MASAKE, R. and OCAMA, J. G. R. Monitoring *Theileria parva* infection in adult *Rhipicephalus appendiculatus* ticks 137

PAGE

GREGORY, M. W. Mites of the hedgehog *Erinaceus albiventris* Wagner in Kenya: observations on the prevalence and pathogenicity of *Notoedres oudemansi* Fain, *Caparinia erinacei* Fain and *Rodentopus sciuri* Fain . 149

Trends and Perspectives

LUBBOCK, ROGER. The clownfish/anemone symbiosis: a problem of cellular recognition 159

PART 2 APRIL 1981

URQUHART, CATRIONA. Morphological and adhesive changes to cultured chick kidney cells following parasitization with *Eimeria tenella* (Protozoa: Coccidia) 175

URQUHART, CATRIONA. Thymidine uptake by chicken kidney cells parasitized by *Eimeria tenella*: evidence for a diffusable mediating substance. 189

MEIS, J. F. G. M., VERHAVE, J. P., JAP, P. H. K., HESS, F. and MEUWISSEN, J. H. E. T. An ultrastructural study of developing stages of exo-erythrocytic *Plasmodium berghei* in rat hepatocytes 195

LIDDELL, K. G., LUCAS, S. B. and WILLIAMS, H. *Babesia divergens* infections in the Mongolian gerbil: characteristics of a human strain . . . 205

FRIED, B. and ROBINSON, G. A. Pairing and aggregation of *Amblosoma suwaense* (Trematoda: Brachylaimidae) metacercariae *in vitro* and partial characterization of lipids involved in chemo-attraction 225

SHAW, M. K. The ultrastructure of the pseudohaptoral squamodiscs of *Diplectanum aequans* (Monogenea) 231

VENKATANARSAIAH, J. Detection of cholinesterase in the nervous system of the oncomiracidium of a monogenean, *Pricea multae* Chauhan, 1945 . 241

KENNEDY, C. R. The establishment and population biology of the eye-fluke *Tylodelphys podicipina* (Digenea: Diplostomatidae) in perch . . . 245

COADWELL, W. J. and WARD, P. F. V. The development, composition and maintenance of experimental populations of *Haemonchus contortus* in sheep 257

COADWELL, W. J., MARTIN, JEAN and WARD, P. F. V. A new technique for the extraction of *Nematodirus battus* eggs from sheep faeces . . . 263

WHARTON, D. A. The effect of temperature on the behaviour of the infective larvae of *Trichostrongylus colubriformis* 269

GECZY, A. F. and ROTHWELL, T. L. W. Genes within the major histocompatibility complex of the guinea pig influence susceptibility to *Trichostrongylus colubriformis* infection 281

HELLE, EERO and VALTONEN, E. TELLERVO. Comparison between spring and autumn infection by *Corynosoma* (Acanthocephala) in the ringed seal *Pusa hispida* in the Bothnian Bay of the Baltic Sea 287

ASAOLU, S. O. Morphology of the reproductive system of male *Moniliformis dubius* (Acanthocephala) 297

PAGE

JENKINS, D. C. and CARRINGTON, TRUDI S. *Nematospiroides dubius*: the course of primary, secondary and tertiary infections in high and low responder Biozzi mice 311

BUNDY, D. A. P. Swimming behaviour of the cercaria of *Transversotrema patialense* 319

Trends and Perspectives

MILLER, GROVER C. Helminths and the transmammary route of infection. 335

Corrigendum 343

PART 3 JUNE 1981

HART, D. T., VICKERMAN, K. and COOMBS, G. H. A quick, simple method for purifying *Leishmania mexicana* amastigotes in large numbers . . 345

DESSEIN, A., SAMUELSON, J. C., BUTTERWORTH, A. E., HOGAN, MAUREEN, SHERRY, BARBARA A., VADAS, M. A. and DAVID, J. R. Immune evasion by *Schistosoma mansoni*: loss of susceptibility to antibody or complement-dependent eosinophil attack by schistosomula cultured in medium free of macromolecules 357

VINAYAK, V. K., GUPTA, N. K., CHOPRA, A. K., SHARMA, G. L. and KUMAR, ASHA. Efficacies of vaccines against canine hookworm disease . . 375

GLICKMAN, L. T., DUBEY, J. P. and WINSLOW, L. J. Serological response of ascarid-free dogs to *Toxocara canis* infection 383

SMEAL, M. G. and DONALD, A. D. Effects on inhibition of development of the transfer of *Ostertagia ostertagi* between geographical regions of Australia 389

ANDERSON, N., HANSKY, J. and TITCHEN, D. A. Effects of *Ostertagia circumcincta* infections on plasma gastrin in sheep 401

WOMERSLEY, C. The effect of dehydration and rehydration on salt loss in the second-stage larvae of *Anguina tritici* 411

DONCASTER, C. C. Observations on relationships between infective juveniles of bovine lungworm, *Dictyocaulus viviparus* (Nematoda: Strongylida) and the fungi, *Pilobolus kleinii* and *P. crystallinus* (Zygomycotina: Zygomycetes) 421

FAIRWEATHER, I. and THREADGOLD, L. T. *Hymenolepis nana*: the fine structure of the embryonic envelopes 429

FAIRWEATHER, I. and THREADGOLD, L. T. *Hymenolepis nana*: the fine structure of the 'penetration gland' and nerve cells within the oncosphere . 445

VANOVERSCHELDE, R. Studies on the life-cycle of *Himasthla militaris* (Trematoda: Echinostomatidae): influence of salinity and temperature on egg development and miracidial emergence 459

SCHLEIN, Y. and GUNDERS, A. E. Pheromone of *Ornithodoros* spp. (Argasidae) in the coxal fluid of female ticks 467

PAGE

YOUNG, A. S., LEITCH, B. L., IRVIN, A. D. and DOBBELAERE, D. A E. The effect of irradiation on the susceptibility of *Rhipicephalus appendiculatus* ticks to *Theileria parva* infection 473

HO, JU-SHEY, KATSUMI, FUMIMASA and HONMA, YOSHIHARU. *Coelotrophus nudus* gen. et sp. nov., an endoparasitic copepod causing sterility in a sipunculan *Phascolosoma scolops* (Selenka and De Man) from Sado Island, Japan. 481

Trends and Perspectives

CONWAY MORRIS, S. Parasites and the fossil record 489

Index of Authors

ABO-SHEHADA, M. N. Investigation into the effect of immunoadjuvants in raising antibodies in rabbits against the metacestode of *Taenia multiceps*, lxvi

ABO-SHEHADA, N. M. Potentiation of the immune response of mice against *Toxocara canis* infection using *Corynebacterium parvum*, xii

ALBERS, G. A. A. and KLOOSTERMAN, A. Seasonal variation in resistance of calves to experimental *Cooperia onchophora* infection, xli

ALI, N. M. H. and BEHNKE, J. M. The effect of *Nematospiroides dubius* on concurrent immune response to non-related antigens, xxiii

ALIZADEH, H. and WAKELIN, D. Mouse strain variation in intestinal mastocystosis and response to primary and secondary infections with *Trichinella spiralis*, xvi

ALPERS, M. P. *See* HOWARD, R. J.

ANDREASSEN, JØRN. *See* BINDSEIL, ERLING.

ANTOINE, ODETTE, *See* PEETERS, J. E.

ARME, C., JEFFS, S. A. and HOOLE, D. *Hymenolepis diminuta*: which saline is most suitable for *in vitro* studies on cysticercoid larvae?, lxiv

ARME, C. *See* RICHARDS, SYLVIA K.

ARNOLD, SUSAN. *See* BIDINGER, P. D.

ASAOLU, S. O. Development of the testis in the larvae of *Moniliformis* (Acanthocephala), xx

ASAOLU, S. O., WHITFIELD, P. J., CROMPTON, D. W. T. and MAXWELL, LESLEY. Observations on the development of the ovarian balls of *Moniliformis* (Acanthocephala), 23

ASTON, AMANDA J. *See* HOMINICK, W. M.

BABIKER, E. A. and LERAY, D. Serodemology of *Trypanosoma brucei gambiense*, lvii

BALDWIN, T. M. A. The effects of diamphenethide on the morphology of *Fasciola hepatica*, l

BALL, S. J. *See* PITTILO, R. M.

BALLINGALL, S. *See* SHIRLEY, M. W.

BARBET, A. F., MUSOKE, A. J., SHAPIRO, Z., MPIMBAZA, G and MCGUIRE, T. C. Identification of the fragment containing cross-reacting antigenic determinants in the variable surface glycoprotein of *Trypanosoma brucei*, 623

BARRY, J. D. *See* HAJDUK, S. L.

BEHNKE, J. M. and WILLIAMS, D. J. L. Time-course for the formation of effective antibodies in different strains of mice infected with *Nematospiroides dubius*, xi

BIANCO, A. E. *See* HAM, P. J.

BIDINGER, P. D., CROMPTON, D. W. T. and ARNOLD, SUSAN. Aspects of intestinal parasitism in villagers from rural peninsular India, 373

BLAND, A. P. *See* BURDEN, D. J.

BINDSEIL, ERLING, and ANDREASSEN, JØRN. Effect of *Ascaris suum* on growth and expulsion of *Hymenolepis diminuta* in mice, 489

BORGSTEEDE, F. H. M. Experiments with the Paratect® bolus system in calves, xxxiv

BORGSTEEDE, F. H. M. Parasites on stamps, lvi

BOS, H. J. and PANHUIJZEN, J. Isolation of *Eimeria tenella* sporozoites using Percoll, lx

BUNDY, D. A. P. Periodicity in the hatching of digenean eggs: a possible circadian rhythm in the life-cycle of *Transversotrema patialense*, 13

BURFORD, I. R. *See* GORDON, R.

BOYLE, D. B., NEWBOLD, C. I. and SMITH, C. C. Monoclonal antibodies recognizing antigens of *Plasmodium chabaudi*, lix

BRATTEY, J. The ecology of *Ancanthocephalus lucii* (Muller, 1776) (Acanthocephala: Echinorhynchidae), iv

BRINDLEY, P. J. and DOBSON, C. Genetic control of liability to infection with *Nematospiroides dubius* in mice: selection of refractory and liable populations of mice, 51

BRITT, D. P. and COLES, G. C. Field tests for benzimidazole-resistance–two methods, lxix

BRITT, P. Towards the establishment of acceptable criteria for confirming drug resistance in helminths, xxxv

VAN DEN BROEK, E., KEULEN, S. M. A. and DE WIJS, W. J. R. *Bithynia leachi* (Mollusca: Prosobranchia) in the lakes Maarsseveen: its larval digeneans and its population dynamics, lxii

BROWN, G. V. *See* HOWARD, R. J.

BROWN, S. J. and KNAPP, F. W. Response of hypersensitized guinea pigs to the feeding of *Amblyomma americanum* ticks, 213

VAN BUGGENUM, H. J. M., PONNUDURAI, T., MEUWISSEN, J. H. E. TH. and VERHAVE, J. P. Aspects of gametocytaemia and infectivity to *Anopheles stephensi* in rodent malaria II, xxii

BURDEN, D. J., BLAND, A. P. and HUGHES, D. L. An electron microscope study of gut penetration by *Fasciola hepatica* in naive and resistant rats, xliii

BURDEN, D. J., BLAND, A. P. and HUGHES, D. L. Development of the tegument of *Fasciola hepatica* after γ-irradiation. An electron microscope study, lxii

BURDEN, D. J., BLAND, A. P., HUGHES, D. L. and HAMMET, N. C. *Fasciola hepatica*: a technique for the study of gut penetration by juvenile flukes, 249

BURT, D. R. R. On a new genus and species of dilepidid cestode from the stilt sandpiper *Micropalama himatopus* (Bonaparte, 1826), xxv

BUYS, J., VAN KNAPEN, F., RUITENBERG, E. J. and Vos. J. G. Specific IgE levels in *Trichinella spiralis* infected man, monkey, rat and mouse, lii

CAMERON, CATHY R. *See* HAJDUK, S. L.

CAÑEDO, L. *See* LACLETTE, J. P.

CANNING, E. U. and BARKER, R. J. Transmission of microsporidia between generations of winter moth *Operophtera brumata*, xiv

CESARI, I. M. *See* SIMSPON, A. J. G.

CHANCE, M. L. *See* NEW, R. R. C.

CHARLES, G. H., READER, T. A. J. and MCREATH, A. Ultrastructural studies on the response of *Lymnaea palustris* to the sporocysts of *Fasciola hepatica*: a comparison of the cell types involved with those involved in normal wound healing, xxxvi

CHEEMA, K. J. and SCOFIELD, A. M. Changes in structure and function of the large intestine of the rat during small intestinal infection with *Nippostrongylus brasiliensis*, lv

COOMBS, G. H. *See* HART, D. T.

COOP, R. L. and FIELD, A. C. The effect of phosphorus intake on the pathogenicity of *Trichostrongylus vitrinus* infection in sheep, lv

CHERNIN, J. and MCLAREN, D. J. Further studies on how larval tapeworms avoid the host's immune response, xviii

CLARKE, A. J. *See* PERRY, R. N.

CORNELISSEN, A. W. C. A. and OVERDULVE, J. P. Meiosis in coccidia: a quantitative cytophotometrical study on nuclear DNA of *Isospora* (*Toxoplasma*) *gondii*, xxxiii

CORNELISSEN, A. W. C. A., OVERDULVE, J. P. and HOENDERBOOM, J. M. Separation of *Isospora* (*Toxoplasma*) *gondi* cysts and cystozoites from mouse brain tissue by continuous density-gradient centrifugation, 103

COX, D. A. and STOREY, D. M. Further studies on microfilarial suppression in vaccinated cotton rats infected with *Litomosoides carinii*, lxviii

CRAIG, F. C. M. Effect of an unstirred water layer on *in vitro* monosaccharide absorption by *Taenia crassiceps* larvae, v

CRAIG, P. S., HOCKING, R. E., MITCHELL, G. F. and RICKARD, M. D. Murine hybridoma-derived antibodies in the processing of antigens for the immunodiagnosis of hydatid (*Echinococcus granulosus*) infection in sheep, 303

CROMPTON, D. W. T. Intestinal responses of rats to *Moniliformis* (Acanthocephala), lxx

CROMPTON, D. W. T., STEPHENSON, L. S. and LATHAM, M. C. Ascariasis in Kenyan children: a longitudinal study, xlvi

CROMPTON, D. W. T. *See* ASAOLU, S. D.

CROMPTON, D. W. T. *See* BIDINGER, P. D.

CROMPTON, D. W. T. *See* FORSUM, E.

CROMPTON, D. W. T. *See* HALL, ANDREW.

CURRAN, J. Morphological variation in *Romanomermis culicivorax* (Nematoda: Mermithidae), xxxix

DAS, P. K., BOELENS, P. and VAN ECK, S. Antigenic subcellular fractionation of adult *S. mansoni*: potential for studying immune response in hosts, lxxi
DAVIES, C. *In vitro* transformation and development of miracidia of *Fasciola hepatica*, lxi
DAWKINS, H. J. S. *See* GROVE, D. I.
DEEDLER, A. M. Detectability of *Schistosoma mansoni* circulating antigens using various sandwich immunoassays, liii
DENHAM, K. Aspects of the ecology of Myxosporida parasitic in freshwater cyprinids, xlv
DESBIENS, C. and VIENS, P. *Trypanosoma musculi* in CBA mice: trypanocidal mechanism eliminating dividing forms, 109
DIXON, M. Studies on the host location behaviour of *Schistosoma mansoni* miracidia, viii
DOBBINS, S. E. and EVANS, P. Laboratory and field testing of 'Nemafax' (thiophanate ethyl) against pig nematodes, xxxiv
DOBSON, A. P. *See* EVANS, N. A.
DOBSON, C. *See* BRINDLEY, P. J.
DOCKRELL, H., DE SOUZA, B., TAVERNE, J. and PLAYFAIR, J. Changes in the liver blood-stage infections with *Plasmodium yoelii* in mice, xxii
DOLAN, T. T. *See* STAGG, D. A.
DUJARDIN, J. P. and FAIN, A. Description of a new organ, probably with respiratory function in pupae of *Simulium* spp. in the Afrotropical region, xxvi
DUKES, P. The comparison *in vivo* of sensitivities to known chemotherapeutic agents of *Trypanosoma* (*Trypanzoon*) *brucei* from different hosts and location in Africa, xxviii
DUNAGAN, T. T. *See* MILLER, D. M.

EDUARDO, S. L. Structures on the internal surface of the pharynx of some species of mammalian amphistomes as revealed by scanning electron microscopy, xxxviii
ELING, W., JERUSALEM, C. and HEINEN, U. Heart disease in experimental mouse malaria, xxii
ELLUM, B. Some aspects of the growth and reproduction of the British freshwater leech *Hemiclepsis marginata*, xlvi
ELSEN, P. Nature and size of particles ingested by simuliid larvae, in relation to the use of larvicides, xl
EVANS, N. A. and HIGGS, S. Encapsulation of digenean metacercarial cysts by larvae of the alderfly *Sialis lutarea*, xxxvii
EVANS, N. A., WHITFIELD, P. J. and DOBSON, A. P. Parasite utilization of a host community: the distribution and occurrence of metacercarial cysts of *Echinoparyphium recurvatum* (Digenea: Echinostomatidea) in seven species of mollusc at Harting Pond, Sussex, 1
EVANS, W. H. *See* SIMPSON, A. J. G.
EVANS, W. S. *See* SCHOM, C.
EYSKER, M. Overwintered cattle and sheep gastro-intestinal nematode larvae on pasture as initial source for the development of infections in sheep, xli
EZIGBO, J. C. Consequences of protein deprivation during cotton rat filariasis, lxxiii

FAIRWEATHER, I. and HOLMES, S. D. *Hymenolepis diminuta*: egg-hatching unscrambled, xix
FORSUM, E., NESHEIM, M. C. and CROMPTON, D. W. T. Nutritional aspects of *Ascaris* infection in young protein-deficient pigs, 497
FOSTER, JOHN R. A study of the initiation of biliary hyperplasia in rats infected with *Fasciola hepatica*, 253
FRANKS, D. *See* THORNE, KAREEN J. I.

GARDNER, S. L. *See* LOKER, E. S.
GEEROMS, RITA. *See* PEETERS, J. E.
GEERTS, S., KUMAR, V., AERTS, N. and CUELEMANS, F. Comparative evaluation of immuno-electrophoresis, counterimmunoelectrophoresis and enzyme-linked immunosorbent assay for the diagnosis of *Taenia saginata* cysticercosis, lii
GIBBONS, L. M. A comparative study of the cephalic region of nematodes using scanning electron microscopy, lxviii
GIBSON, D. I. Aspects of the zoogeography of some digenean parasites of marine fishes, xxxviii
GILBERT, R. J. and NEWTON, B. A. Further studies on the pharmacokinetics of ethidium bromide, xxvii

GINGER, C. D. and MCINTOSH, R. T. Orotate phosphoribosyl transferase (ORPTase) and orotidine monophosphate decarboxylase (OMPDase) in *Plasmodium berghei* and *Eimeria tenella*, xliv

GLAUERT, AUDREY, *See* THORNE, KAREEN J. I.

GORDON, D. M. and RAU, M. E. Temporal changes in the frequency distributions of *Apatemon gracilis* in brook sticklebacks (*Culaea inconstans*), iii

GORDON, R., WALSH, D. J. and BURFORD, I. R. Beta-oxidation in the free-living stages of the entomophilic nematode, *Romanomermis culicivorax*, 451

GRENCIS, R. The kinetics of cellular responsiveness in primary and secondary infections of the nematode *Trichinella spiralis* in mice, xvii

GROVE, D. I. and DAWKINS, H. J. S. Effects of prednisolone on murine strongyloidiasis, 401

GUNN, A. Biochemical and ultrastructural studies on acetylcholinesterase in *Moniezia expansa* (Rudolphi, 1810), xi

GUSTAFSSON, MARGARETHA K. S. and WIKGREN, MARIANNE C. Activation of the peptidergic neurosecretory system in *Diphyllobothrium dendriticum* (Cestoda: Pseudophyllidea), 243

VAN HAEREN, C. and DE RYCKE, P. H. Concurrent infections of *Hymenolepis diminuta* and *H. muris-sylvaticae* in NMRI-mice, xx

HAJDUK, S. L., CAMERON, CATHY R., BARRY, J. D. and VICKERMAN, K. Antigenic variation in cyclically transmitted *Trypanosoma brucei*. Variable antigen type composition of metacyclic trypanosome populations from the salivary glands of *Glossina morsitans*, 595

HAJDUK, S. L. and VICKERMAN, K. Antigenic variation in cyclically transmitted *Trypanosoma brucei*. Variable antigen type composition of the first parasitaemia in mice bitten by trypanosome-infected *Glossina morsitans*, 609

HALEN, P. *See* PEETERS, J. E.

HALL, ANDREW, LATHAM, M. C., CROMPTON, D. W. T. and STEPHENSON, L. S. *Taenia saginata* (Cestoda) in western Kenya: the reliability of faecal examinations in diagnosis, 91

HALTON, D. W. and MCRAE, J. M. *Fellodistomum fellis*: an unusual structure to the gut of a digenetic trematode, xliii

HAM, P. J., TOWNSON, S., JAMES, E. R. and BIANCO, A. E. An improved technique for the cyropreservation of *Onchocerca* microfilariae, 139

HAMMET, N. C. *See* BURDEN, D. J.

HANNAH, J. and BEHNKE, J. M. Factors affecting primary and secondary infections of *Nematospiroides dubius* in the Jird, *Meriones unguiculatus*, xxiii

HARRIS, E. A. Some observations on the nematomorpha (Gordiacea) of the British Isles, lxix

HARRISON, L. J. S. Antibodies in cattle infected with *Taenia saginata* metacestodes, liii

HART, D. T., VICKERMAN, K. and COOMBS, G. H. Transformation *in vitro* of *Leishmania mexicana* amastigotes to promastigotes: nutritional requirements and the effects of drugs, 529

HEALING, T. D. Infections with blood parasites in the small British rodents *Apodemus sylvaticus*, *Clethrionomys glareolus* and *Microtus agrestis*, 179

HEATH, S. *See* NEW, R. R. C.

HENDERSON, D. J. The morphology of the neck region of *Hymenolepis nana* (Cestoda: Cyclophyllidea), xlii

HOCKING, R. E. *See* GRAIG, P. S.

HOENDERBOOM, J. M. *See* CORNELISSEN, A. W. C. A.

HOLE, D. and ARME, C. The cellular response by roach (*Rutilus rutilus*) to the plerocercoid larva of *Ligula intestinalis* (Cestoda: Pseudophyllidae), xlviii

HOLMAN, M. R. *See* PURNELL, R. E.

HOMINICK, W. M. Selection for ability of potato cyst-nematodes, *Globodera rostochiensis*, to develop at low temperatures, xv

HOMINICK, W. M. and ASTON, AMANDA J. Association between *Pelodera strongyloides* (Nematoda: Rhabditidae) in wood mice, *Apodemus sylvaticus*, 67

HOOLE, D. and ARME, C. *Ligula intestinalis* (Cestoda: Pseudophyllidae): cellular reaction to the plerocercoid larva surgically implanted into its fish host, lxvi

HOWARD, R. J., BROWN, G. V., SMITH, P. M., MITCHELL, G. F., STACE, J. D., ALPERS, M. P., WEMBER, M. and SCHAUER, R. Studies on malaria in Papua New Guinea: comparison of the surface glycoproteins on red blood cells from infected and uninfected individuals, 357

HUGHES, D. L., DOY, T. G., BURDEN, D. J. and OLDHAM, G. Stage-specific immunity in the rat as demonstrated by γ-irradiated *Fasciola hepatica*, xiii
HUGHES, D. L. *See* BURDEN, D. J.
HUGHES, H. P. A., LEE, D. L. and BALFOUR, A. H. *Toxoplasma gondii* antigens, lx
HURD, H., BROWNE, P. and ARME, C. Changes in the haemolymph composition of *Tenebrio molitor* infected with the cysticercoid larvae of *Hymenolepis diminuta*, lxv
HÜTHER, A., VAN ZON, A. and VAN WEL, P. Clearance of parasites and the effector mechanism of malarial immunity in mice, vii

IRWIN, S. W. B. Observations on metacercarial excystment of *Maritrema arenaria* (Digenea: Microphallidae), lxi

JAMES, E. R. *See* HAM, P. J.
JAMES, S. L. *In vitro* proliferation response to living schistosomula by T lymphocytes from mice infected with *Schistosoma mansoni*, 147
JANSEN, J. Observations on the spring-rise of strongyle faecal egg-counts in the goat, xli
JARRA, W. The relevance of anti-parasite and anti-self recognition in the induction of immunity to malarai, v
JEFFS, S. A. and ARME, C. Uptake of an amino acid (cycloleucine) by the cysticercoid larva of the rat tapeworm, *Hymenolepis diminuta*, lxv
JENKINS, T. and LARKMAN, A. Fine structure observations of the male reproductive tract of *Trichuris muris* (Nematoda: Trichuroidea), xliv
JOHNSTON, B. R. and HALTON, D. W. Aspects of the host–parasite relationship between larval *Bucephaloides gracilescens* and the white furrow shell, *Abra alba*, xlix
JONES, A. Species of *Taenia* Linnaeus, 1758 parasitic in the hyaena, lxiii
JONES, A. and KHALIL, L. F. Species of *Taenia* Linnaeus, 1758, in game animals and predators in East Africa, xxvi
JOYNER, L. P. *See* NORTON, C. C.
JOYNER, L. P. *See* PITTILO, R. M.

KEYMER, A. The dynamics of infection of *Tribolium confusum* by *Hymenolepis diminuta*: the influence of exposure time and host density, iii
KILSBY, J. and HILL, B. Sources of carbamoyl phosphate in *Plasmodium berghei*, lviii
KITCHIN, P. A., GUTTERIDGE, W. E. and RYLEY, J. F. The DNA-dependent RNA polymerase of *Trypanosoma cruzi*, xv
KLAVER-WESSELING, J. C. M. and VETTER, J. C. M. *In vitro* studies on the exsheathment of infective hookworm larvae of *Ancylostoma caninum*, xxxi
KLOOSTERMAN, A. and ALBERS, G. A. A. The effect of anthelmintic treatment or artificial trichostrongylid infection on milk production of cows, xxxiii
VAN DER KNAPP, W. P. W. and SMINIA, T. Cellular and humoral recognition factors in the internal defence system of the pond snail, *Lymnaea stagnalis*, xxxv
VAN KNAPEN, F. and KOCIECKA, W. Experimental *Trichinella spiralis* and *Trichinella pseudospiralis* Trichinellosis in monkeys, xlvii
KNAPP, F. W. *See* BROWN, S. J.
KNOPF, P. M. *See* MANGOLD, BEVERLEY.

LAARMAN, J. J., TADROS, W. and KOENIS, I. Field observations on the dynamics of transmission of rodent sarcosporidiosis, xiii
LACLETTE, J. P., MERCHANT, MARIE THERESE, WILLMS, KAETHE and CAÑEDO, L. Paracrystalline bundles of large tubules, induced *in vitro* by Mebendazole in *Cysticercus cellulosae*, 513
LAINSON, F. A. Genetic crosses between rodent malaria subspecies, xxxii
LARSSON, RONNY. A new microsporidium *Berwaldia singularis* gen. et sp. nov. from *Daphnia pulex* and a survey of microsporidia described from Cladocera, 325
LAST, C., TARGETT, G. A. T. and DOENHOFF, M. J. Concurrent infection of mice with *Schistosoma mansoni* and various rodent malarias, xviii
LATHAM, M. C. *See* HALL, ANDREW.
LEE, D. L. and BONNER, T. P. Freeze etch studies on nematode body wall, xliv
LEE, D. L. *See* SHARPE, M. J.

LEE, T. D. G. The cellular effector mechanisms responsible for the expulsion of *Trichuris muris* from mice, xvii

LEE, T. D. G. and GRENCIS, R. Specific cross-immunity to challenge infections with *Trichuris muris* and *Trichinella spiralis* in mice pre-sensitized with antigens or prior infection, lxvii

LEITCH, B. L. *See* STAGG, D. A.

LEITCH, B. L. *See* YOUNG, A. S.

LEWIS, D. *See* PURNELL, R. E.

LICHTENBERG, F. VON. *See* MOSER, GINA.

LINSTEAD, DAVID. New defined and semi-defined media for cultivation of the flagellate *Trichomonas vaginalis*, 125

LLOYD, SHEELAGH. Progress in immunization against parasitic helminths, 225

LOKER, E. S., MOYO, H. G. and GARDNER, S. L. Trematode–gastropod associations in nine non-lacustrine habitats in the Mwanza region of Tanzania, 381

MACGREGOR, A. N. The surface membranes of *Schistosoma mansoni*: methods of isolation, x

MACKINNON, B. M. and BURT, M. D. B. Development of the embryos of *Paravortex cardii* (Turbellaria: Rhabdocoela) from the intestine of *Cardium edule*, xix

MADHAVI, R. Distribution of metacercariae of *Centrocestus formosanus* (Nishigori, 1925) (Trematoda: Heterophyidae) on the gills of *Aplocheilus melastigma* and *A. panchax*, lxxii

MAIZELS, R. M., PHILIPP, M., DENHAM, D. A., PARTONO, F., OEMIJATI, S. and OGILVIE, B. M. Antigenic analysis in Brugian filariasis: cross reactive and restricted antigens on the surface of *Brugia* of different stages and species, xxxi

MAIZELS, R. M., DE SAVIGNY, D. H. and OGILVIE, B. M. Surface and secreted antigens from infective larvae of *Toxocara canis*, lxvii

MAMMERICKX, M. *See* PEETERS, J. E.

MANGOLD, BEVERLEY L. and KNOPF, P. M. Host protective humoral immune responses to *Schistosoma mansoni* infections in the rat. Kinetics of hyperimmune serum-dependent sensitivity and elimination of schistosomes in a passive transfer system, 559

MARTIN, JEAN. Acetylcholinesterase activity in *Nippostrongylus brasiliensis* during the course of a primary infection in normal and in protein-deficient rats, 43

MATHIS, G. F. and MCDOUGALD, L. R. Effect of amprolium and dinitolmide on sporulation of oocysts of field isolates of *Eimeria acervulina*, 281

MATTHEWS, B. F. *Cercaria vaullegeardi* Pelseneer, 1906 (Digenea: Hemiuridae); development and ultrastructure, 575

MATTHEWS, B. F. *Cercaria vaullegeardi* Pelseneer 1906 (Digenea: Hemiuridae); the infection mechanism, 587

MAXWELL, LESLEY. *See* ASAOLU, S. O.

MCCOLM, A. A. Studies on the serum requirement for cultivation of *Plasmodium falciparum in vitro*, lvii

MCDONALD, V. and BALLINGALL, S. Studies on infection and immunization of chickens with an attenuated strain of *Eimeria acervulina*, i

MCDONALD, V. *See* SHIRLEY, M. W.

MCDOUGALD, L. R. *See* MATHIS, G. F.

MCGUIRE, T. C. *See* BARBET, A. F.

MERCHANT, MARIE THERESE. *See* LACLETTE, J. P.

MEUWISSEN, J. H. E. TH, PONNUDURAI, T. and VERHAVE, J. P. Aspects of gametocytaemia and infectivity to *Anopheles stephensi* in rodent malaria I, xxi

MILLER, D. M., WONG, B. S. and DUNAGAN, T. T. Membrane potentials in an acanthocephalan worm (*Macracanthorhynchus hirudinaceus*), 33

MIRCK, H. The prevalence, relative abundance and site distribution of strongylidae in Shetland, xl

MITCHELL, G. F. *See* CRAIG, P. S.

MITCHELL, G. F. *See* HOWARD, R. J.

MITCHELL, J. B. and ASTON, C. J. Studies on the life-cycle of *Crepidostomum farionis*, lxii

MONS, B. and VAN DER KAAY, H. J. Problems concerning gametocytogenesis of *Plasmodium berghei*, xxxii

VAN MOPPES, M. C., HENDRIKX, W. M. L. and ZWART, P. *Oswaldocruzia filiformis* (Trichostrongilidae) in the common toad (*Bufo bufo*)-localization of parasite stages and pathology, xlviii

MORRIS, JANE. *See* THORNE, KAREEN J. I.
MOSER, GINA., LICHTENBERG, F. VON AND SHER, A. Studies on the antibody-dependent killing of schistosomula of *Schistosoma mansoni* employing haptenic target antigens. Analysis of mechanisms responsible for the rejection of parasites *in vivo*, 543
MOYO, H. G. *See* LOKER, E. S.
MPIMBAZA, G. *See* BARBET, A. F.
MURRILLS, R. J. *In vitro* observations on the hatching mechanism of the eggs of *Notocotylus attenuatus*, xxv
MUSOKE, A. J. *See* BARBET, A. F.

NAPPI, A. J. Cellular immune response of *Drosophila melanogaster* against *Asobara tabida*, 319
NESHEIM, M. C. *See* FORSUM, E.
NEW, R. R. C., CHANCE, M. L. and HEATH, S. The treatment of experimental cutaneous leishmaniasis with liposome-entrapped Pentostam, 519
NEWBOLD, C. I., BOYLE, D. B. and SMITH, C. C. An investigation of the surface of red blood cells infected with *Plasmodium chabaudi*, vi
NEWBOLD, C. I., BOYLE, D. B. and SMITH, C. C. Stage-specific proteins synthesized by *Plasmodium chabaudi*, lviii
NORTON, C. C. and JOYNER, L. P. *Eimeria acervulina* and *E. mivati*: oocysts, life-cycle and ability to develop in the chicken embryo, 269
NORTON, C. C. *See* PITTILO, R. M.
NOVAK, M. *See* SCHOM, C.
NWOSU, A. B. C. Human factors in the ecology and epidemiology of dracontiasis in anambra state of Nigeria, lxxiii

OPPERDOES, F. R. and VAN ROY, J. *Trypanosoma brucei*: uptake into lysosomes and trypanocidal action of Triton WR-1339, lvii
OVER, H. J., GAASENBEEK, C. P. H. and NOORMAN, N. Environmental factors determining the disappearance of cattle pats, lxiii
OVER, H. J., NOORMAN, N. and GAASENBEEK, C. P. H. The influence of environmental factors on the development of *F. hepatica* in *L. truncatula*, viii
OVERDULVE, J. P. *See* CORNELISSEN, A. W. C. A.

PATERSON, H. Ultrastructural studies on *Moniezia expansa*, lxiv
PEETERS, J. E., GEEROMS, RITA, ANTOINE, ODETTE, MAMMERICKX, M. and HALEN, P. Efficacy of narasin against hepatic and intestinal coccidiosis in rabbits, 293
PERRY, R. N. and CLARKE, A. J. Hatching mechanisms of nematodes, 435
PHILIPP, M., WORMS, M. J., MAIZELS, R. M., MCLAREN, D. J., PARKHOUSE, R. M. E., TAYLOR, P. M. and OGILVIE, B. M. A nematode antigen and a host component on the surface of *Litomosoides carinii*, xxx
PIKE, A. W. and BURT, M. D. B. Tissue response of *Perca flavescens* (yellow perch) to infection with *Apophallus brevis* (Heterophydiae) (the sandgrain worm), xlviii
PIRSON, P., MASQUELIER, M., BAURAIN, R. and TROUET, A. Chemotherapy of malaria: therapeutic effects of new primaquine derivatives and primaquine-carrier conjugable, lix
PITTILO, R. M., BALL, S. J., JOYNER, L. P. and NORTON, C. C. Ultrastructural changes in the macrogamete and early oocyst of *Eimeria maxima* resulting from drug treatment, 285
POLDERMAN, A. M. and MANSHANDE, J. P. The efficacy of mass chemotherapy in the control of *Schistosoma mansoni* in Zaire, xlvii
PONNUDURAI, T., LEEUWENBERG, A. D. E. M., MEUWISSEN, J. H. E. TH. and VERHAVE, J. P. *In vitro* production and maturation of *Plasmodium falciparum* gametocytes, lviii
PURNELL, R. E., LEWIS, D., HOLMAN, M. R. and YOUNG, E. R. Investigations on a *Babesia* isolated from Scottish sheep, 347

QIAN, Z. L. and DEEDLER, A. M. *Schistosoma japonicum*: circulating polysaccharide antigens and the immunological response to these antigens, liii

RAPSON, E. B., WATTS, S. D. M. and LEE, D. L. Effects of oxfendazole on carbohydrate utilization by the rat tapeworm, *Hymenolepis diminuta*, l

READER, T. A. J. and CHARLES, G. H. Ultrastructural studies on the response of *Lymnaea palustris* to the sporocysts of *Fasciola hepatica*: the process of parasite destruction, xxxvi
RICHARDS, K. S. The ultrastructure of the scolex-neck syncytium and glands of *Caryophyllaeus laticeps* (Caryophyllidea: Cestoda), lxiii
RICHARDS, SYLVIA K. and ARME, C. The ultrastructure of the scolex–neck syncytium, neck cells and frontal glands of *Carophyllaeus laticeps* (Caryophyllidae: Cestoda), 477
RICKARD, M. D. *See* CRAIG, P. S.
ROBERTS, S. M. and WILSON, R. A. The surface membranes of *Schistosoma mansoni*: chemical composition, x
ROTMANS, J. P., MOOIJ, G. W. and TASCHNER, P. E. M. Excretion of circulating anodic antigen from *Schistosoma mansoni* cultured *in vitro*, xxix
RUITENBERG, E. J., ELGERSMA, A. and PARAMENTIER, H. Kinetics and characteristics of intestinal mast cells, xvi
RUSSELL-SMITH, S. M. C. and WELLS, P. D. Ultrastructural changes in the tegument of *Diplostomum spathaceum* during development from metacercaria to adult, xlii

SCHAUER, R. *See* HOWARD, R. J.
SCHETTERS, TH., VAN DER DONK, J. and ZWART, D. An ELISA technique to detect species-specific antibodies against trypanosomes, i
SCHOM, C., NOVAK, M. and EVANS, W. S. Evolutionary implications of *Tribolium confusum–Hymenolepis citelli* interactions, 77
SCHRYER, M. D. *See* SIMPSON, A. J. G.
SCOTT, M. E. Use of experimental cross-infections in elucidating the taxononic relationship between two Typhlocoelinae (Digenea: Cyclocoelidae), xxxviii
SEINEN, W. and KUIL, H. Acquired immunity to *Babesia rodhaini* in mice: its cross-reactivity with *Babesia microti*, *B. ratti*, *Plasmodium vinckei* and *P. berghei*, lxxi
SHAPIRO, Z. *See* BARBET, A. F.
SHARPE, M. J. and LEE, D. L. Observations on the structure and function of the haemoglobin from the cuticle of *Nippostrongylus brasiliensis* (Nematoda), 411
SHARPE, M. J. and LEE, D. L. The effect of anaerobiosis on adenosine nucleotide levels in *Nematospiroides dubius* and *Trichostrongylus colubriformis in vitro*, 425
SHARPE, M. J. and LEE, D. L. The effect of oxygen tension on the energy metabolism of parasitic nematodes, v
SHER, A. *See* MOSER, GINA
SHIRLEY, M. W. *Eimeria necatrix*: features of an attenuated line, i
SHIRLEY, M. W., MCDONALD, V. and BALLINGALL, S. *Eimeria* spp. from the chicken: from merozoites to oocysts in embryonated eggs, 259
SIMPSON, A. J. G., SCHRYER, M. D., CESARI, I. M., EVANS, W. H. and SMITHERS, S. R. Isolation and partial characterization of the tegumental outer membrane of adult *Schistosoma mansoni*, 163
SIMPSON, NORMA, E. *See* WILSON, P. A. G.
SMITHERS, S. R. *See* SIMPSON, A. J. G.
SMITH, G. Experimental studies on variations in the susceptibility of *Lymnaea truncatula* to infection by the miracidia of *Fasciola hepatica*, ix
SMITH, P. M. *See* HOWARD, R. J.
SOOD, M. L. *Haemonchus* in India, 639
SOUTHGATE, V. R., ROLLINSON, D., ROSS, G. C. and KNOWLES, R. J. Is there specific mate recognition in schistosomes?, lxxiv
STACE, J. D. *See* HOWARD, R. J.
STAGG, D. A., DOLAN, T. T., LEITCH, B. L. and YOUNG, A. S. The initial stages of infection of cattle cells with *Theileria parva* sporozoites *in vitro*, 191
STEELE, G. M. Differences in the attractiveness of small mammals for sheep tick larvae *Ixodes ricinus*, lxx
STEPHENSON, L. S. *See* HALL, ANDREW.
SVVENNSEN, ROSAMUND, *See* THORNE, KAREEN, J. I.

TAYLOR, D. W. and BUTTERWORTH, A. E. Monoclonal antibodies against surface antigens of *Schistosoma mansoni*, xxx

THOMAS, H. *See* THORNE, KAREEN, J. I.
THOMPSON, M. and HALTON, D. W. The surface morphology of a gasterostome trematode, *Bucephaloides gracilescens*, lxxii
THORNE, KAREEN, J. I., GLAUERT, AUDREY, M., SVVENNSEN, ROSAMUND, THOMAS, H., MORRIS, JANE, and FRANKS, D. Evasion of the oxidative microbicidal activity of human monocytes by trypomastigotes of *Trypanosoma dionisii*, 115
TIELENS, A. G. M. and VAN DEN BERGH, S. G. Aerobic energy metabolism of juvenile *Fasciola hepatica*, iv
TINGLEY, G. A. Assessment of the potential biological control of arthropods by nematodes, xiv
TINSLEY, R. C. Relationships between host genotye and parasite specificity, iii
TITCHENER, R. N. The use of synthetic pyrethroids to control flies on cattle in south west Scotland, xxxv
TOWNSON, S. *See* HAM, P. J.
TRETT, M. W. and LEE, D. L. A developmental study of the cephalic sense organs of the rat hookworm, *Nippostrongylus brasiliensis* (Nematoda: Trichostrongyloidea), lxix
TRETT, M. W. and LEE, D. L. The cephalic sense organs of the infective third stage juvenile of the rat hookworm, *Nippostrongylus brasiliensis*, xxvi

VAN DEN BOSSCHE, H. Biochemical effects of the antiparasitic drug closantel, li
VANOVERSCHELDE, R. *Himasthla militaris* (Trematoda: Echinostomatidae): some ecological aspects of the transmission-phase miracidium → first intermediate host, *Hydrobia stagnorum* and of the larval development within this snail host, ix
VANPARIJS, O. and THIENPONT, D. The earthworm *Eisenia foetida* as intermediate host for artificial infection of pigs with *Metastrongylus apri* and treatment with flubendazole, xlv
VEDDER, D., VETTER, J. C. M. and KLAVER-WESSELING, J. C. M. Chemotaxis of peripheral blood leucocytes in dogs in relation to hookworm infections, liv
VERHEYEN, A., VANPARIJS, O., VAN DEN BROECK, C., LAUWERS, H. and THIENPONT, D. Progressive differences in drug-susceptibility of the adult liver fluke *Fasciola hepatica* L, li
VERMEULEN, A. N. and MEUWISSEN, J. H. E. TH. Characterization of surface proteins of *Plasmodium berghei* sporozoites, xxi
VETTER, J. C. M. and MENSINK, J. F. Some histological features of the inflammatory process in the skin of dogs after infection with *Ancylostoma caninum*, liv
VICKERMAN, K. *See* HAJDUK, S. L.
VICKERMAN, K. *See* HART, D. T.
VIENS, P. *See* DESBIENS, C.
VLASSAK, H. P., PONNUDURAI, T., VERMEULEN, A. N. and MEUWISSEN, J. H. E. TH. The uptake of chloroquine and its effect on cultures of *Plasmodium falciparum*, xxix
VOS, G. J. The relation between the haemoglobin content in the blood and the infection with *Haemonchus contortus* during the spring-rise of sheep, lv

WALSH, D. J. *See* GORDON, R.
WATTS, S. D. M. and ATKINS, A. M. Multiple molecular forms of acetylcholinesterase from *Nippostrongylus brasiliensis*, xi
WEMBER, M. *See* HOWARD, R. J.
WERY, M. and LE RAY, D. Antigen analysis of rodent malaria parasites, ii
WEISMAN, J. and JANSEN, J. Some trichostrongylidae (Nematoda) from *Gazella gazella* and *G. thomsoni* in Israeli 200s, lxviii
WHARTON, D. A. Desiccation survival in the free-living stages of *Trichostrongylus colubriformis*, ix
WHITFIELD, P. J. *See* ASAOLU, S. O.
WHITFIELD, P. J. *See* EVANS, N. A.
WIKGREN, MARIANNE C. *See* GUSTAFSSON, MARGARETHA K. S.
WILLIAMS, D. J. L. and BEHNKE, J. M. Analysis of serum components involved in passive transfer of immunity to *Nematospiroides dubius*, xii
WILLIAMSON, J. M. W. The diagnosis of human infection with *Pneumocystis carinii*, lx
WILLIAMSON, J. and BROWN, J. R. Anthracycline trypanocides, xxvii
WILLIS, J. M. Studies on the effects of sheep serum on the activated oncospheres of *Taenia multiceps* maintained *in vitro*, xix

WILLMS, KEATHE. *See* LACLETTE, J. P.
WILSON, P. A. G. and SIMPSON, NORMA E. Dynamics of infection in rats given low doses of homogonic and heterogonic *Strongyloides ratti*, 459
WONG, B. S. *See* MILLER, D. M.
WOO, PATRICK T. K. Acquired immunity against *Trypanosoma danilewskyi* in goldfish *Carassius auratus*, 343
WORMS, M. J., PHILIPP, M., TAYLOR, P. M. and OGILVE, B. M. Control of *Dipetalonema viteae* microfilaraemia in mice: role of microfilarial surface antigens and of the antibody classes they stimulate, xxiv

YOUNG, A. S. and LEITCH, B. L. Epidemiology of East Coast fever: some effects of temperature on the development of *Theileria parva* in the tick vector, *Rhipicephalus appendiculatus*, 199
YOUNG, A. S. *See* STAGG, D. A.
YOUNG, E. R. *See* PURNELL, R. E.

VAN ZON, A., ELING, W., SMEEKENS-KOEKKOEK, A. and HERMSEN, C. Conditions for improvement of malarial immunity in mice, vii
ZWART, D., DE GEE, A., SCHOTMAN, A. J. H. and VAN MIERT, A. S. J. P. A. M. The influence of non-steroidal anti-inflammatory drugs on the course of a trypanosome infection in the goat, xxviii

Index of Subjects

Acetylcholinesterase, activity of in *Nippostrongylus brasiliensis* infecting normal and protein-deficient rats, 43
Acquired immunity, of goldfish to *Trypanosoma danilewskyi*, 343
Amastigotes, *in vitro* transformation of to promastigotes in *Leishmania mexicana*, 529
Amblyomma americanum, effect of on hypersensitized guinea pigs, 213
Amprolium, effect of on field isolates of *Eimeria acervulina*, 281
Antibody, role of in killing of schistosomula, 543
Anticoccidial effect, of narasin against rabbit coccidiosis, 293
Anticoccidials, effects of on field isolates of *Eimeria acervulina*, 281
ultrastructural changes induced by in *Eimeria maxima*, 285
Antigenic cross-reaction, of determinants in the variable surface glycoprotein of *Trypanosoma brucei*, 623
Antigenic variation, in cyclically transmitted *Trypanosoma brucei*, 595, 609
Apodemus sylvaticus, association of with *Pelodera strongyloides*, 67
infection of with blood parasites, 179
Ascaris, nutrition aspects of infection by, in protein-deficient pigs, 497
Ascaris lumbricoides, infection of villagers by in rural peninsular India, 373
Ascaris suum, effect of on the growth and expulsion of *Hymenolepis diminuta* in mice, 489
Asobara tabida, cellular immune response of *Drosophila melanogaster* against, 319
Association, observations on between *Pelodera strongyloides* and *Apodemus sylvaticus*, 67

Babesia capreoli, infection of sheep by, 347
Babesia sp., isolation of from Scottish sheep, 347
Berwaldia singularis, gen. et sp. nov., 325
Beta-oxidation, in the free-living stages of *Romanomermis culcivorax*, 451
Biliary hyperplasia, a study of the initiation of, 253
Blood parasites, infection of small British rodents by, 179

Caryophyllaeus laticeps, ultrastructure of various regions of, 477
Cellular immune response, of *Drosophila melanogaster* against *Asobara tabida*, 319
Cercariae, a study of the abundance, morphology and host relationships of, in the Mwanza region of Tanzania, 381
Cercaria vaullegeardi, development and ultrastructure of, 575
the infection mechanism of, 587
Circadian rhythm, in the life-cycle of *Transversotrema patialense*, 13
Clethrionomys glareolus, infection of with blood parasites, 179
Cryopreservation, an improved technique for, 139
Cuticular haemoglobin, structure and function of in *Nippostrongylus brasiliensis*, 411
Cysticercus cellulosae, *in vitro* induction of paracrystalline bundles of large tubules in, 513
Cystozoites, a rapid method for the purification of from mouse brain tissue, 103
Cysts, a rapid method for the purification of from mouse brain tissue, 103

Daphnia pulex, a new microsporidium described in, 325
Density-gradient centrifugation, use of in the purification of cysts and cystozoites of *Isospora* (*Toxoplasma*) *gondii*, 103
Development, of *Cercaria vaullegeardi*, 575
of *Eimeria acervulina* and *E. mivati* in the chicken embryo, 269
of *Eimeria* spp. in embryonated eggs, 259
of the ovarian balls of *Moniliformis*, 23
Diagnosis, reliability of faecal examination in, for *Taenia saginata*, 91
Dinitolmide, effect of on field isolates of *Eimeria acervulina*, 281
Diphyllobothrium dendriticum, activation of the peptidergic neurosecretory system in, 243
Distribution, of the metacercarial cysts of *Echinoparyphium recurvatum*, 1

Dividing forms, mechanism of elimination of, for *Trypanosoma musculi* in CBA mice, 109
Drosophila melanogaster, cellular immune response of against *Asobara tabida*, 319

East Coast fever, epidemiology of, 199
Echinococcus granulosus, immunodiagnosis of, 303
Echinoparyphium recurvatum, the distribution and occurrence of in a community of molluscs, 1
Eimeria acervulina, effect of anticoccidial drugs on field isolates of, 281
  oocysts, life-cycle and ability of to develop in the chicken embryo, 269
Eimeria maxima, drug-induced ultrastructural changes in, 285
Eimeria mivati, oocysts, life-cycle and ability of to develop in the chicken embryo, 269
Eimeria spp., anticoccidial effect of narasin in, 293
  development of in embryonated eggs, 259
Embryonated eggs, use of in the development of the merozoites of *Eimeria* spp., 259
Enzymes, effect of host malnourishment on acetylcholinesterase activity in *Nippostrongylus brasiliensis*, 43
Epidemiology, of East Coast fever, 199
Evolutionary implications, of the interaction between *Hymenolepis citelli* and *Tribolium confusum*, 77

Faecal examination, the reliability of in the diagnosis of *Taenia saginata*, 91
Fasciola hepatica, a method for the study of gut penetration by, 249
  initiation of biliary hyperplasia after infection with, 253
Fascioliasis, biliary hyperplasia in, 253
Frontal gland cells, ultrastructure of in *Caryophyllaeus laticeps*, 477

Genetic control, of the liability of mice to infection with *Nematospiroides dubius*, 51
Genetic implications, of the interaction between *Hymenolepis citelli* and *Tribolium confusum*, 77
Glossina morsitans, variable antigen type composition of trypanosomes from the salivary glands of, 595
Glycoproteins, comparison of on malaria-infected and uninfected erythrocytes, 357
Goldfish, acquired immunity of to *Trypanosoma danilewskyi*, 343
Gut penetration, a technique for the study of with *Fasciola hepatica*, 249

Haemoglobin, structure and function of in the cuticle of *Nippostrongylus brasiliensis*, 411
Haemonchus spp., an acute problem in India, 639
  morphology and distribution of, 639
  properties of, 639
Hatching, mechanisms of in nematodes, 435
  periodicity of in digenean eggs, 13
Helminths, progress in immunization against, 225
Host community, parasite utilization of, 1
Host resistance, development of in guinea pigs to feeding *Ambylomma americanum* ticks, 213
Humoral immune response, to *Schistosoma mansoni* in the rat, 559
Hybridoma antibodies, use of in immunodiagnosis of hydatid disease, 303
Hydatid disease, immunodiagnosis of in sheep, 303
Hymenolepis citelli, evolutionary implications of the interaction of with *Tribolium confusum*, 77
Hymenolepis diminuta, effect of *Ascaris suum* on the growth and expulsion of in mice, 489

Immunization, against parasitic helminths, progress in, 225
Immunodiagnosis, use of murine hybridoma-derived antibodies in, 303
India, a parasitological survey in rural peninsular villages of, 373
Infection dynamics, of *Strongyloides ratti* in rats, 459
Infection liability, genetic control of with *Nematospiroides dubius* in mice, 51
Infection mechanism, of *Cercaria vaullegeardi*, 587
Intestinal parasitism, a survey of in villagers from rural peninsular India, 373
In vitro infection, of cattle cells by *Theileria parva*, 191
Isopora (*Toxoplasma*) *gondii*, separation of cysts and cystozoites of from mouse brain tissue, 103

Kinetics, of hyperimmune serum-dependent sensitivity to *Schistosoma mansoni* in the rat, 559

Leishmania mexicana, *in vitro* transformation of the amastigotes of to promastigotes, 529
Leishmaniasis, treatment of experimental cutaneous forms of by liposome-entrapped Pentostam, 519
Life-cycle, of *Eimeria acervulina* and *E. mivati*, 269
possible circadian rhythm of, in *Transversotrema patialense*, 13
Liposome-entrapped Pentostam, use of in the treatment of experimental cutaneous leishmaniasis, 519

Macracanthorhynchus hirudinaceus, measurement of membrane potentials in, 33
Malaria, studies of in Papua New Guinea, 357
Malnourishment, effect of on activity of acetylcholinesterase in *Nippostrongylus brasiliensis*, 43
Mebendazole, induction of paracrystalline bundles of large tubules by, in *Cysticercus cellulosae*, 513
Membrane potentials, measurement of in *Macracanthorhynchus hirudinaceus*, 33
Merozoites, development of to oocysts of *Eimeria* spp. in embryonated eggs, 259
Metabolism, in the free-living stages of *Romanomermis culicivorax*, 451
Metacercarial cysts, of *Echinoparyphium recurvatum*, distribution and occurrence of, 1
Microfilariae, an improved technique for the cryopreservation of, 139
Microtus agrestis, infection of with blood parasites, 179
Moniliformis, development of the ovarian balls of, 23
Monocytes, evasion of the oxidative microbial activity of by trypomastigotes of *Trypanosoma dionsii*, 115

Narasin, effect of against rabbit coccidiosis, 293
Neck cells, ultrastructure of in *Caryophyllaeus laticeps*, 477
Nematode metabolism, effect of anaerobiosis on, 425
Nematodes, hatching mechanisms of, 435
Nematospiroides dubius, effect of anaerobiosis on adenosine nucleotide levels in, *in vitro*, 425
genetic control of liability to infection with in mice, 51
Neurosecretory system, activation of in *Diphyllobothrium dendriticum*, 243
New genus, *Berwaldia singularis* from *Daphnia pulex*, 325
New species, *Berwaldia singularis* from *Daphnia pulex*, 325
Nippostrongylus brasiliensis, acetylcholinesterase activity in, 43
studies on the haemoglobin from the cuticle of, 411
Nutrition, and *Ascaris* infection in protein-deficient pigs, 497
Nutritional requirements, of *Trichomonas vaginalis*, 125

Onchocerca, an improved technique for the cryopreservation of the microfilariae of, 139
Ovarian balls, observations on the development of in *Moniliformis*, 23
Oxidative microbicidal activity, evasion of by trypomastigotes in human monocytes, 115

Paracrystalline bundles, of large tubules, induced by Mebendazole in *Cysticercus cellulosae*, 513
Pelodera strongyloides, association of with *Apodemus sylvaticus*, 67
Pentostam, treatment of experimental cutaneous leishmaniasis by, 519
Peptidergic neurosecretory system, activation of in *Diphyllobothrium dendriticum*, 243
Plasmodium spp., levels of membrane sialic acid in erythrocytes infected by, 357
Prednisolone, effects of on murine strongyloidiasis, 401
Protein-deficient pigs, nutritional aspects of *Ascaris* infection in, 497
Purification, of cysts and cystozoites of *Isospora* (*Toxoplasma*) *gondii*, 103

Rabbit coccidiosis, anticoccidial effect of narasin against, 293
Rete system, comparison of in an acanthocephalan worm with other smooth muscle preparations, 33
Romanomermis culicivorax, beta-oxidation in the free-living stage of, 451

Schistosoma mansoni, antibody-dependent killing of the schistosomula of, 543
host protective humoral responses to, 559
isolation of the tegumental outer membrane of, 163
T cell reactivity towards, 147
Schistosomula, antibody-dependent killing of, 543
T cell reactivity towards, 147
Scolex–neck syncytium, ultrastructure of in *Caryophyllaeus laticeps*, 477
Strongyloides ratti, dynamics of infection of in rats, 459
effects of prednisolone on mice infected by, 401
Surface glycoprotein, identification of cross-reacting antigenic determinants in, in *Trypanosoma brucei*, 623

Taenia saginata, the reliability of faecal examinations in the diagnosis of, 91
Tanzania, a study of trematode-gastropod associations in the Mwanza region of, 381
Tegument, a novel method for the removal of from adult *Schistosoma mansoni*, 163
Tegumental outer membrane, isolation and characterization of from *Schistosoma mansoni*, 163
Theileria parva, effect of temperature on the development of, 199
initial stages of infection of cattle cells with, *in vitro*, 191
Tick infestation, development of resistance to in guinea pigs, 213
Tissue-culture media, description of for the cultivation of *Trichomonas vaginalis*, 125
T-lymphocytes, reactivity of towards schistosomula of *Schistosoma mansoni*, 147
Transformation, of amastigotes to promastigotes, in *Leishmania mexicana*, 529
Transmission, of intestinal parasites in rural peninsular India, 373
Transversotrema patialense, a possible circadian rhythm in the life-cycle of, 13
Trematode-gastropod associations, a study of in the Mwanza region of Tanzania, 381
Tribolium confusum, evolutionary implications of the interaction of with *Hymenolepis citelli*, 77
Trichomonas vaginalis, new defined and semi-defined media for the cultivation of, 125
Trichostrongylus colubriformis, effect of anaerobiosis on adenosine nucleotide levels in, *in vitro*, 425
Trypanocidal mechanism, involvement of in elimination of dividing forms of *Trypanosoma musculi* in CBA mice, 109
Trypanosoma brucei, antigenic variation in cyclically transmitted forms of, 595, 609
cross-reacting antigenic determinants of the surface glycoprotein of, 623
Trypanosoma danilewskyi, acquired immunity against in goldfish, 343
Trypanosoma dionisii, survival of the trypomastigotes of in human monocytes, 115
Trypanosoma musculi, trypanocidal mechanism eliminating dividing forms of in CBA mice, 109
Trypomastigotes, survival of in human monocytes, 115

Ultrastructural observations, on the development of the ovarian balls of *Moniliformis*, 23
Ultrastructure, drug-induced changes of in *Eimeria maxima*, 285
of *Cercaria vaullegeardi*, 575
of various regions of *Caryophyllaeus laticeps*, 477

Variable antigen type composition, of metacyclic trypanosome populations, 595
of the first parasitaemia in mice bitten by trypanosome-infected *Glossina morsitans*, 609

PARASITOLOGY

(Founded by G. H. F. Nuttall, F.R.S.)

EDITORS

D. W. T. CROMPTON *and* B. A. NEWTON

EDITORIAL ASSISTANT

M. ELISABETH PAINTER, Ph.D.

ADVISORY BOARD

L. G. GOODWIN, F.R.S. (*Chairman*)

R. ANDERSON
D. R. ARTHUR
J. R. BAKER
J. BARRETT
ELIZABETH U. CANNING
L. H. CHAPPELL
S. COHEN, F.R.S.
R. R. A. COOMBS, F.R.S.
F. E. G. COX
G. A. M. CROSS
D. A. ERASMUS
D. I. GIBSON
L. P. JOYNER
C. R. KENNEDY
ANN M. LACKIE
D. L. LEE*
R. J. LINCOLN
J. LLEWELLYN
S. H. P. MADDRELL
BRIDGET M. OGILVIE
M. ELAINE ROSE
J. H. ROSE
J. F. RYLEY
G. SALT, F.R.S.
S. R. SMITHERS
K. VICKERMAN
D. WAKELIN
P. F. V. WARD
P. J. WHITFIELD
H. H. WILLIAMS
R. A. WILSON
C. A. WRIGHT

* Representing the British Society for Parasitology

VOLUME 83, 1981

CAMBRIDGE UNIVERSITY PRESS

CAMBRIDGE

LONDON NEW YORK NEW ROCHELLE
MELBOURNE SYDNEY

Published by the Press Syndicate of the University of Cambridge
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, N.Y. 10022

© Cambridge University Press, 1981

Printed in Great Britain at the
University Press, Cambridge

CONTENTS

(*All rights reserved*)

PART 1 AUGUST 1981

PAGE

EVANS, N. A., WHITFIELD, P. J. and DOBSON, A. P. Parasite utilization of a host community: the distribution and occurrence of metacercarial cysts of *Echinoparyphium recurvatum* (Digenea: Echinostomatidae) in seven species of mollusc at Harting Pond, Sussex 1

BUNDY, D. A. P. Periodicity in the hatching of digenean eggs: a possible circadian rhythm in the life-cycle of *Transversotrema patialense* . . 13

ASAOLU, S. O., WHITFIELD, P. J., CROMPTON, D. W. T. and MAXWELL, LESLEY. Observations on the development of the ovarian balls of *Moniliformis* (Acanthocephala) 23

MILLER, D. M., WONG, B. S. and DUNAGAN, T. T. Membrane potentials in an acanthocephalan worm (*Macracanthorhynchus hirudinaceus*) . . 33

MARTIN, JEAN. Acetylcholinesterase activity in *Nippostrongylus brasiliensis* during the course of a primary infection in normal and in protein-deficient rats. 43

BRINDLEY, P. J. and DOBSON, C. Genetic control of liability to infection with *Nematospiroides dubius* in mice: selection of refractory and liable populations of mice 51

HOMINICK, W. M. and ASTON, AMANDA J. Association between *Peldera strongyloides* (Nematoda: Rhabditidae) and wood mice, *Apodemus sylvaticus* 67

SCHOM, C., NOVAK, M. and EVANS, W. S. Evolutionary implications of *Tribolium confusum–Hymenolepis citelli* interactions 77

HALL, ANDREW, LATHAM, M. C., CROMPTON, D. W. T. and STEPHENSON, L. S. *Taenia saginata* (Cestoda) in western Kenya: the reliability of faecal examinations in diagnosis 91

CORNELISSEN, A. W. C. A., OVERDULVE, J. P. and HOENDERBOOM, J. M. Separation of *Isospora* (*Toxoplasma*) *gondii* cysts and cystozoites from mouse brain tissue by continuous density-gradient centrifugation . . 103

DESBIENS, C. and VIENS, P. *Trypanosoma musculi* in CBA mice: trypanocidal mechanism eliminating dividing forms 109

THORNE, KAREEN, J. I., GLAUERT, AUDREY M., SVVENNSEN, ROSAMUND, THOMAS, H., MORRIS, JANE and FRANKS, D. Evasion of the oxidative microbial activity of human monocytes by trypomastigotes of *Trypanosoma dionisii* 115

LINSTEAD, DAVID. New defined and semi-defined media for cultivation of the flagellate *Trichomonas vaginalis* 125

HAM, P. J., TOWNSON, S., JAMES, E. R. and BIANCO, A. E. An improved technique for the cryopreservation of *Onchocerca* microfilariae . . 139

JAMES, S. L. *In vitro* proliferative response to living schistosomula by T lymphocytes from mice infected with *Schistosoma mansoni* . . . 147

SIMPSON, A. J. G., SCHRYER, M. D., CESARI, I. M., EVANS, W. H. and SMITHERS, S. R. Isolation and partial characterization of the tegumental outer membrane of adult *Schistosoma mansoni* 163

HEALING, T. D. Infections with blood parasites in the small British rodents *Apodemus sylvaticus*, *Clethrionomys glareolus* and *Microtus agrestis*. . 179

STAGG, D. A., DOLAN, T. T., LEITCH, B. L. and YOUNG, A. S. The initial stages of infection of cattle cells with *Theileria parva* sporozoites *in vitro* 191

YOUNG, A. S. and LEITCH, B. L. Epidemiology of East Coast Fever: some effects of temperature on the development of *Theileria parva* in the tick vector, *Rhipicephalus appendiculatus* 199

BROWN, S. J. and KNAPP, F. W. Response of hypersensitized guinea pigs to the feeding of *Amblyomma americanum* ticks 213

Trends and Perspectives

LLOYD, SHEELAGH. Progress in immunization against parasitic helminths 225

PART 2 OCTOBER 1981

GUSTAFSSON, MARGARETHA K. S. and WIKGREN, MARIANNE C. Activation of the peptidergic neurosecretory system in *Diphyllobothrium dendriticum* (Cestoda: Pseudophyllidea) 243

BURDEN, D. J., BLAND, A. P., HUGHES, D. L. and HAMMET, N. C. *Fasciola hepatica*: a technique for the study of gut penetration by juvenile flukes 249

FOSTER, JOHN R. A study of the initiation of biliary hyperplasia in rats infected with *Fasciola hepatica* 253

SHIRLEY, M. W., MCDONALD, V. and BALLINGALL, S. *Emeria* spp. from the chicken: from merozoites to oocysts in embryonated eggs . . . 259

NORTON, C. C. and JOYNER, L. P. *Eimeria acervulina* and *E. mivati*: oocysts, life-cycle and ability to develop in the chicken embryo 269

MATHIS, G. F. and MCDOUGALD, L. R. Effect of amprolium and dinitolmide on sporulation of oocysts of field isolates of *Eimeria acervulina* . . 281

PITTILO, R. M., BALL, S. J., JOYNER, L. P. and NORTON, C. C. Ultrastructural changes in the macrogamete and early oocyst of *Eimeria maxima* resulting from drug treatment 285

PEETERS, J. E., GEEROMS, RITA, ANTOINE, ODETTE, MAMMERICKX, M. and HALEN, P. Efficiency of narasin against hepatic and intestinal coccidiosis in rabbits 293

GRAIG, P. S., HOCKING, R. E., MITCHELL, G. F. and RICKARD, M. D. Murine hybridoma-derived antibodies in the processing of antigens for the immunodiagnosis of hydatid (*Echinococcus granulosus*) infection in sheep 303

NAFFI, A. J. Cellular immune response of *Drosophila melanogaster* against *Asobara tabida* 319

LARSSON, RONNY. A new microsporidium *Berwaldia singularis* gen. et sp. nov. from *Daphnia pulex* and a survey of microsporidia described from Cladocera 325

WOO, PATRICK T. K. Acquired immunity against *Trypanosoma danilewskyi* in goldfish, *Carassius auratus* 343

PURNELL, R. E., LEWIS, D., HOLMAN, M. R. and YOUNG, E. R. Investigations on a *Babesia* isolated from Scottish sheep 347

HOWARD, R. J., BROWN, G. V., SMITH, P. M., MITCHELL, G. F., STACE, J. D., ALPERS, M. P., WEMBER, M. and SCHAUER, R. Studies on malaria in Papua New Guinea: comparison of the surface glycoproteins on red blood cells from infected and uninfected individuals 357

BIDINGER, P. D., CROMPTON, D. W. T. and ARNOLD, SUSAN. Aspects of intestinal parasitism in villagers from rural peninsular India . . . 373

LOKER, E. S., MOYO, H. G. and GARDNER, S. L. Trematode–gastropod associations in nine non-lacustrine habitats in the Mwanza region of Tanzania 381

GROVE, D. I. and DAWKINS, H. J. S. Effects of prednisolone on murine strongyloidiasis 401

SHARPE, M. J. and LEE, D. L. Observations on the structure and function of the haemoglobin from the cuticle of *Nippostrongylus brasiliensis* (Nematoda) 411

SHARPE, M. J. and LEE, D. L. The effect of anaerobiosis on adenosine nucleotide levels in *Nematospiroides dubius* and *Trichostrongylus colubriformis in vitro* 425

Trends and Perspectives

PERRY, R. N. and CLARKE, A. J. Hatching mechanisms of nematodes . 435

PART 3 DECEMBER 1981

GORDON, R., WALSH, D. J. and BURFORD, I. R. Beta-oxidation in the free-living stages of the entomophilic nematode *Romanomermis culicivorax* 451

WILSON, P. A. G. and SIMPSON, NORMA E. Dynamics of infection in rats given low doses of homogonic and heterogonic *Strongyloides ratti* . . 459

RICHARDS, SYLVIA K. and ARME, C. The ultrastructure of the scolex–neck synctium, neck cells and frontal gland cells of *Caryophyllaeus laticeps* (Caryophyllidea: Cestoda) 477

BINDSEIL, ERLING and ANDREASSEN, JØRN. Effect of *Ascaris suum* on growth and expulsion of *Hymenolepis diminuta* in mice 489

FORSUM, E., NESHEIM, M. C. and CROMPTON, D. W. T. Nutritional aspects of *Ascaris* infection in young protein-deficient pigs 497

LACLETTE, J. P., MERCHANT, MARIE THERESE, WILLMS, KAETHE and CAÑEDO, L. Paracrystalline bundles of large tubules, induced *in vitro* by Mebendazole in *Cysticercus cellulosae* 513

NEW, R. R. C., CHANCE, M. L. and HEATH, S. The treatment of experimental cutaneous leishmaniasis with liposome-entrapped Pentostam. . . . 519

HART, D. T., VICKERMAN, K. and COOMBS, G. H. Transformation *in vitro* of *Leishmania mexicana* amastigotes to promastigotes: nutritional requirements and the effects of drugs 529

MOSER, GINA, LICHTENBERG, F. VON and SHER, A. Studies on the antibody-dependent killing of schistosomula of *Schistosoma mansoni* employing haptenic target antigens. Analysis of mechanisms responsible for the rejection of parasites *in vivo* 543

MANGOLD, BEVERLEY, L. and KNOPF, P. M. Host protective humoral immune responses to *Schistosoma mansoni* infections in the rat. Kinetics of hyperimmune serum-dependent sensitivity and elimination of schistosomes in a passive transfer system 559

MATTHEWS, B. F. *Cercaria vaullegeardi* Pelseneer, 1906 (Digenea: Hemiuridae); development and ultrastructure 575

MATTHEWS, B. F. *Cercaria vaullegeardi* Pelseneer, 1906 (Digenea: Hemiuridae); the infection mechanism 587

HAJDUK, S. L., CAMERON, CATHY R., BARRY, J. D. and VICKERMAN, K. Antigenic variation in cyclically transmitted *Trypanosoma brucei*. Variable antigen type composition of metacyclic trypanosome populations from the salivary glands of *Glossina morsitans* 595

HAJDUK, S. L. and VICKERMAN, K. Antigenic variation in cyclically transmitted *Trypanosoma brucei*. Variable antigen type compositon of the first parasitaemia in mice bitten by trypanosome-infected *Glossina morsitans* 609

BARBET, A. F., MUSOKE, A. J., SHAPIRO, S. Z., MPIMBAZA, G. and MCGUIRE, T. C. Identification of the fragment containing cross-reacting antigenic determinants in the variable surface glycoprotein of *Trypanosoma brucei* 623

Trends and Perspectives

SOOD, M. L. *Haemonchus* in India 639